

Recombinant human TSTA3 protein

Catalog Number: ATGP0657

PRODUCT INFORMATION

Expression system

E.coli

Domain

1-321aa

UniProt No.

Q13630

NCBI Accession No.

NP_003304

Alternative Names

GDP-L-fucose synthase, FX, P35B, SDR4E1, GDP-L-fucose synthase

PRODUCT SPECIFICATION

Molecular Weight

38.0 kDa (341aa) confirmed by MALDI-TOF

Concentration

0.5mg/ml (determined by Bradford assay)

Formulation

Liquid in. 20mM Tris-HCl buffer (pH 8.0) containing 10% glycerol, 2mM DTT, 50mM NaCl

Purity

> 90% by SDS-PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Tag

His-Tag

Application

SDS-PAGE

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

TSTA3 is a NADP (H) -binding protein. It catalyzes the two-step epimerase and the reductase reactions in GDP-D-mannose metabolism, converting GDP-4-keto-6-D-deoxymannose to GDP-L-fucose. GDP-L-fucose is the substrate of several fucosyltransferases involved in the expression of many glycoconjugates, including blood group ABH antigens and developmental adhesion antigens. Mutations in this gene may cause leukocyte adhesion

Recombinant human TSTA3 protein

Catalog Number: ATGP0657

deficiency, type II. Recombinant human TSTA3 protein, fused to His-tag at N-terminus, was expressed in *E. coli* and purified by using conventional chromatography techniques.

Amino acid Sequence

MGSSHHHHHH SSSLVPRGSH MGEPQGSMRI LVTGGSSGLVG KAIQKVVADG AGLPGEDWVF VSSKDADLTD
TAQTRALFEK VQPTHVIHLA AMVGGLFRNI KYNLDFWRKN VHMNDNLVLS AFEVGARKVV SCLSTCIFPD KTTYPIDETM
IHNGPPHNSN FGYSYAKRMI DVQNRAYFQQ YGCTFTAVIP TNVFGPHDNF NIEDGHVLPG LIHKVHLAKS SGSALTVWGT
GNPRRQFIYS LDLAQLFIWV LREYNEVEPI ILSVGEEDV SIKEAAEAVV EAMDFHGEVT FDTTKSDGQF KKTASNSKLR
TYLPDFRFTP FKQAVKETCA WFTDNYEQAR K


General References

Camardella L., et al. (1995) *Blood* 85 (1): 264-7

Tonetti M., et al. (1996) *J. Biol. Chem.* 271:27274-27279

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

15% SDS-PAGE (3ug)