NKMAXBio We support you, we believe in your research

Recombinant human IFN-gamma/IFNG protein

Catalog Number: IFG4001

PRODUCT INFORMATION

Expression system

E.coli

Domain

24-166aa

UniProt No.

P01579

NCBI Accession No.

NP 000610.2

Alternative Names

Interferon gamma, Immune interferon, IFG, IFI, IMD69

PRODUCT SPECIFICATION

Molecular Weight

16.9 kDa (144aa) confirmed by MALDI-TOF

Concentration

1mg/ml (determined by absorbance at 280nm)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) 10% glycerol

Purity

> 95% by SDS-PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Biological Activity

Measured in a cytotoxicity assay using WiDr human colon colorectal adenocarcinoma cells. The ED50 range \leq 1.5ng/ml.

Tag

Non-Tagged

Application

SDS-PAGE, Bioactivity

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND



Recombinant human IFN-gamma/IFNG protein

Catalog Number: IFG4001

Description

Nature human interferon-gamma is composed of 143amino acid residues without cysteine residues and is glycosylated. Recombinant human interferon-gamma was expressed in E. coli and purified by FPLC gel-filtration chromatography, after refolding of the isolated inclusion bodies in a renaturation buffer. Additional amino acid (Methionine) is attached at N-terminus.

Amino acid Sequence


MQDPYVKEAE NLKKYFNAGH SDVADNGTLF LGILKNWKEE SDRKIMQSQI VSFYFKLFKN FKDDQSIQKS VETIKEDMNV KFFNSNKKKR DDFEKLTNYS VTDLNVQRKA IHELIQVMAE LSPAAKTGKR KRSQMLFRGR RASQ

General References

Sen GC, Lengyel P (1992) J. Biol. Chem. 267(8):5017-5020 Tsutomu Arakawa, Yeuh-Rong Hsu (1987) Biochemistry. 26:5428-5432 Ernst Rinderknecht, et al (1984) J. Biol. Chem. 259(11):6790-6797


DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

Biological Activity



Human Interferon-gamma stimulates cytotoxicity of the WiDr human colon colorectal adenocarcinoma cells. The ED50 range ≤ 1.5 ng/ml

