NKMAXBiO We support you, we believe in your research Human Cystatin B antibody Catalog Number: ACS0820

# **PRODUCT INFORMATION**

Catalog number ACS0820

Clone No. 2F1

**Product type** Monoclonal Antibody

**UnitProt No.** P04080

NCBI Accession No. NP\_000091

#### **Alternative Names**

CystatinB, Cystatin B, CSTB, Stefin B, PME, CST6, CystatinB CHROW21, CPI B, CYTB, EPM1, Liver thiol proteinase inhibitor, STFB

# **PRODUCT SPECIFICATION**

Antibody Host Mouse

Reacts With Human

Concentration 1mg/ml (determined by BCA assay)

#### Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

#### Immunogen

Recombinant human CSTB (1-98aa) purified from E. coli

# Isotype

lgG2b kappa

**Purification Note** By protein-G affinity chromatography

# Application

ELISA, WB, ICC/IF

#### Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



#### Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

# BACKGROUND

#### Description


CSTB, also known as Cystatin B is an anti-protease implicated in myoclonus epilepsy, a degenerative disease of the central nervous system. The cystatin superfamily encompasses proteins that contain multiple cystatin-like sequences. Some of the members are active cysteine protease inhibitors, while others have lost or perhaps never acquired this inhibitory activity. This protein is able to from a dimer stabilized by noncovalent forces and is thought to play a role in protecting against the proteases leaking from lysosomes in cells. CSTB is located in the lysosomes and the cytoplasm, but also in the nucleus.

#### **General References**

Turk V, et al., (1991) FEBS Lett. 285(2):213-9. Jarvinen M, et al., (1988) Acta Histochem. 82(1):5-18.


### DATA

#### Western blot analysis (WB)



The cell lysates were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human CSTB antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1.: A549 cell lysate (35ug) Lane 2.: U87MG cell lysate (40ug)

#### Immunocytochemistry/Immunofluorescence (ICC/IF)



ICC/IF analysis of CSTB in A549 cells. The cell was stained with ACS0820 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

2