# **PRODUCT INFORMATION**

Catalog number ATGA0214

Clone No. AT1C11

**Product type** Monoclonal Antibody

UnitProt No. P11086

NCBI Accession No. NP\_002677

#### **Alternative Names**

Phenylethanolamine N-methyltransferase, PENT, PNMTase, Noradrenaline-N-methyltransferase, Phenylethanolamine N-methyltransferase

## **PRODUCT SPECIFICATION**

Antibody Host Mouse

Reacts With Human

Concentration 1mg/ml (determined by BCA assay)

#### Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

#### Immunogen

Recombinant human PNMT (1-282aa) purified from E. coli

# Isotype

IgG2a kappa

**Purification Note** By protein-G affinity chromatography

## Application

ELISA,WB,ICC/IF

#### Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



#### Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

## BACKGROUND

#### Description


Phenylethanolamine N-methyltransferase (PNMT) catalyzes the synthesis of epinephrine and plays an important role in regulating cardiovascular function. Expression of PNMT is regulated by hormonal and neural stimuli because its promoter contains sequences responding to cholinergic and depolarization stimuli. PNMT is the final enzyme in the catecholamine pathway, catalyzing the conversion of norepinephrine to epinephrine using as the cosubstrate and methyl donor, S-adenosylmethionine.

#### **General References**

Wurtman R.J., et al. (1965) Science 150: 1464-1465. Wurtman R.J., et al. (1966) J Biol Chem 241: 2301-2305. Huang C., et al. (2011) IAmerican Journal of Hypertension 24: 1222-1226.

### DATA

#### Western blot analysis (WB)




The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human PNMT antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1.: 293T cell lysate Lane 2.: PNMT transfected 293T cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)



NKMAXBiO We support you, we believe in your research Human PNMT antibody Catalog Number: ATGA0214



ICC/IF analysis of PNMT in Hep3B cells. The cell was stained with ATGA0214 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

