

Human CNBP antibody

Catalog Number: ATGA0262

PRODUCT INFORMATION

Catalog number

ATGA0262

Clone No.

AT38F10

Product type

Monoclonal Antibody

UnitProt No.

P62633

NCBI Accession No.

NP_001120668

Alternative Names

Cellular nucleic acid-binding protein, CNBP1, DM2, PROMM, RNF163, ZCCHC22, ZNF9

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human CNBP (1-170aa) purified from E. coli

Isotype

IgG2b kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, FACS, ICC/IF

Usage

The antibody has been tested by ELISA, Western blot analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results. Recommended dilution range for Western blot analysis is 1:500 ~ 1:1000. Recommended starting dilution is 1:1000.

Human CNBP antibody

Catalog Number: ATGA0262

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


CNBP is a nucleic-acid binding protein with seven zinc-finger domains. The protein has a preference for binding single stranded DNA and RNA. It functions in cap-independent translation of ornithine decarboxylase mRNA, and may also function in sterol-mediated transcriptional regulation. A CCTG expansion in the first intron of this gene results in myotonic dystrophy type 2.

General References

McGrath CF, Buckman JS, et al. (2003). J Virol. 77(15):8524-31.


DATA

Western blot analysis (WB)



The cell lysate of 293T (30ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human CNBP antibody (1:250 - 1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.


Immunocytochemistry/Immunofluorescence (ICC/IF)



ICC/IF analysis of CNBP in HeLa cells line, stained with DAPI (Blue) for nucleus staining and monoclonal anti-human CNBP antibody (1:100) with goat anti-mouse IgG-Alexa fluor 488 conjugate (Green).


Human CNBP antibody

Catalog Number: ATGA0262



ICC/IF analysis of CNBP in MCF7 cells line, stained with DAPI (Blue) for nucleus staining and monoclonal anti-human CNBP antibody (1:100) with goat anti-mouse IgG-Alexa fluor 488 conjugate (Green).

Flow cytometry (FACS)



Flow cytometry analysis of CNBP in MCF7 cell line, staining at 2-5ug for 1x10⁶cells (red line). The secondary antibody used goat anti-mouse IgG Alexa fluor 488 conjugate. Isotype control antibody was mouse IgG (black line).