PRODUCT INFORMATION

Catalog number ATGA0349

Clone No. AT21C10

Product type Monoclonal Antibody

UnitProt No. Q15126

NCBI Accession No. NP_006547

Alternative Names

Phosphomevalonate kinase, HuMPMKI, PMK, PMKA, PMKASE, Phosphomevalonate kinase

PRODUCT SPECIFICATION

Antibody Host Mouse

Reacts With Human

Concentration 1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human PMVK (1-192aa) purified from E. coli

lsotype

lgG2a kappa

Purification Note By protein-A affinity chromatography

Application

ELISA,WB,ICC/IF,FACS

Usage

The antibody has been tested by ELISA, Western blot, ICC/IF and FACS analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


Phosphomevalonate kinase, also known as PMVK, is a cytosolic enzyme. It was expressed highly in heart, liver, skeletal muscle, kidney and pancreas and slightly lower in brain, placenta, and lung. Induced by sterol, PMVK participates in isopentenyl diphosphate biosynthesis via the mevalonate pathway. PMVK catalyzes the conversion of mevalonate 5-phosphate into mevalonate 5-diphosphate in the fifth reaction of the cholesterol biosynthetic pathway.

General References

Cho YK., et al. (2001) J Biol chem. 278: 4510-4515. Hogenboom S., et al. (2004) J Lipid Res. 45: 697-705.


DATA

Western blot analysis (WB)



The Cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human PMVK antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1. : HeLa cell lysate Lane 2. : HepG2 cell lysate Lane 3. : Jukat cell lysate Lane 4. : MCF7 cell lysate Lane 5. : A549 cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)




ICC/IF analysis of PMVK in PC3 cells. The cell was stained with ATGA0349 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

Flow cytometry (FACS)



NKMAXBiO We support you, we believe in your research Human PMVK antibody Catalog Number: ATGA0349



Flow cytometry analysis of PMVK in LNCap cell line, staining at 2-5ug for 1x10^6cells (red line). The secondary antibody used goat antimouse IgG Alexa fluor 488 conjugate. Isotype control antibody was mouse IgG (black line).

