NKMAXBio We support you, we believe in your research

Human Ras antibody

Catalog Number: ATGA0350

PRODUCT INFORMATION

Catalog number

ATGA0350

Clone No.

AT2F8

Product type

Monoclonal Antibody

UnitProt No.

P01116

NCBI Accession No.

NP 203524

Alternative Names

GTPase Kras, C-K-RAS, K-RAS2A, K-RAS2B, K-RAS4A, K-RAS4B, KI-RAS, KRAS1, NS3, RASK2, GTPase Kras, K-RAS2A, K-RAS2B, K-RAS4A, K-RAS4B, KI-RAS, KRAS4B, KI-RAS, KI-RAS,

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human KRAS (1-186aa) purified from E. coli

Isotype

IgG2b kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF

Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



NKMAXBio We support you, we believe in your research

Human Ras antibody

Catalog Number: ATGA0350

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


All RAS protein family members belong to a class of protein called small GTPase, and are involved cellular signal transduction. RAS is 'switched on' by incoming signals, it subsequently switches on other proteins, which ultimately turn on genes involved in cell growth, differentiation and survival. Mutations in RAS genes can lead to the production of permanently activated RAS proteins. This can cause unintended and overactive signaling inside the cell, even in the absence of incoming signals. Because these signals result in cell growth and division, overactive RAS signaling can ultimately lead to cancer. The 3 Ras genes in humans (HRas, KRas, NRas) are the most common oncogenes in human cancer; mutations that permanently activate RAS are found in 20% to 25% of all human tumors and up to 90% in certain types of cancer. RAS inhibitors are being studied as a treatment for cancer, and other diseases with RAS overexpression.


General References

McGrath JP., et al. (1983) Nature. 304(5926): 501-506. Schubbert S., et al. (2006) Nat Genet. 38(3): 331-336.

DATA

Western blot analysis (WB)





The Cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human KRAS antibody (1:500). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: HeLa cell lysate Lane 2.: HepG2 cell lysate Lane 3.: Ramos cell lysate Lane 4.: A549 cell lysate Lane 5.: Balb/3T3 cell lysate

The Recombinant proteins (100ng) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human RAS antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: KRAS recombinant protein (ATGP2062) Lane 2.: HRAS recombinant protein (ATGP0516) Lane 3.: NRAS recombinant protein (ATGP0492)




NKMAXBio We support you, we believe in your research

Human Ras antibody

Catalog Number: ATGA0350

Immunocytochemistry/Immunofluorescence (ICC/IF)



ICC/IF analysis of RAS in HeLa cells. The cell was stained with ATGA0350 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

