NKMAXBio We support you, we believe in your research

Human ACOT8 antibody

Catalog Number: ATGA0353

PRODUCT INFORMATION

Catalog number

ATGA0353

Clone No.

AT4D10

Product type

Monoclonal Antibody

UnitProt No.

014734

NCBI Accession No.

NP 005460

Alternative Names

Acyl-coenzyme A thioesterase 8, hACTE-III, HNAACTE, the, PTE-1, PTE-2, PTE1, PTE2

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human ACOT8 (1-319aa) purified from E. coli

Isotype

IgG2a kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF, FACS

Usage

The antibody has been tested by ELISA, Western blot, ICC/IF and FACS analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



NKMAXBIO We support you, we believe in your research

Human ACOT8 antibody

Catalog Number: ATGA0353

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


Acyl-coenzyme A thioesterase 8 is an enzyme that in humans is encoded by the ACOT8 gene. The protein encoded by this gene is a peroxisomal thioesterase that appears to be involved more in the oxidation of fatty acids rather than in their formation. The encoded protein can bind to the human immunodeficiency virus-1 protein Nef, and mediate Nef-induced down-regulation of CD4 in T-cells. Multiple transcript variants encoding several different isoforms have been found for this gene.

General References

Jones JM., et al. (1999) J Biol Chem. 274(14): 9216-9223. Liu LX., et al.(1997) J Biol Chem. 272(21): 13779-13785.

DATA

Western blot analysis (WB)




The recombinant Human ACOT8 (10ng) and cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human ACOT8 antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: Recombinant Human ACOT8

Lane 2.: Ramos cell lysate Lane 3.: A431 cell lysate Lane 4 : 293T cell lysate Lane 5 : A549 cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)




ICC/IF analysis of ACOT8 in A549 cells. The cell was stained with ATGA0353 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

Flow cytometry (FACS)

NKMAXBio We support you, we believe in your research

Human ACOT8 antibody

Catalog Number: ATGA0353



Flow cytometry analysis of ACOT8 in CTLL-2 cell line, staining at 2-5ug for 1×10^6 cells (red line). The secondary antibody used goat antimouse IgG Alexa fluor 488 conjugate. Isotype control antibody was mouse IgG (black line).

