

Human Glycine N-methyltransferase/GNMT antibody

Catalog Number: ATGA0370

PRODUCT INFORMATION

Catalog number

ATGA0370

Clone No.

AT5D1

Product type

Monoclonal Antibody

UnitProt No.

Q14749

NCBI Accession No.

NP_061833

Alternative Names

Glycine N-methyltransferase, GNMT, Glycine N-methyltransferase, Glycine N-methyltransferase EC 2.1.1.20, Glycine N methyltransferase

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human GNMT (1-295aa) purified from E. coli.

Isotype

IgG2a kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF

Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

Human Glycine N-methyltransferase/GNMT antibody

Catalog Number: ATGA0370

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


Ras-related protein Glycine N-methyltransferase (GNMT) catalyzes the methylation of glycine by using S-adenosylmethionine (AdoMet) to form N-methylglycine (sarcosine) with the concomitant production of S-adenosylhomocysteine (AdoHcy). Possible crucial role in the regulation of tissue concentration of AdoMet and of metabolism of methionine.

General References

Velichkova., et al. (2006) J Phys Chem B. 109: 8216-8219.
Huang YC., et al. (2008) J Gastroenterol Hepatol. 23: 1384.


DATA

Western blot analysis (WB)



The recombinant protein (50ng) and tissue lysate (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human GNMT antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: Recombinant human GNMT protein
Lane 2.: Mouse Liver tissue lysate




The cell lysates (10ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human GNMT antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: 293T cell lysate
Lane 2.: GNMT Transfected 293T cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)

Human Glycine N-methyltransferase/GNMT antibody

Catalog Number: ATGA0370



ICC/IF analysis of GNMT in HepG2 cells. The cell was stained with ATGA0370 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).