NKMAXBio We support you, we believe in your research

Human Peroxiredoxin 5/PRDX5 antibody

Catalog Number: ATGA0379

PRODUCT INFORMATION

Catalog number

ATGA0379

Clone No.

AT6A10

Product type

Monoclonal Antibody

UnitProt No.

P30044

NCBI Accession No.

NP 036226

Alternative Names

Alu corepressor 1, Antioxidant enzyme B166, AOEB166, Liver tissue 2D-page spot 71B, PLP, Peroxiredoxin V, Prx-V, Peroxisomal antioxidant enzyme, TPx type VI, Thioredoxin peroxidase PMP20, Thioredoxin-dependent peroxiredoxin 5, ACR1, AOEB166, PRXV, SBBI10

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human Peroxiredoxin 5 (53-214aa) purified from E. coli

Isotype

IgG1 kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF, FACS

Usage

The antibody has been tested by ELISA, Western blot analysis and Flow cytometry to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



NKMAXBIO We support you, we believe in your research

Human Peroxiredoxin 5/PRDX5 antibody

Catalog Number: ATGA0379

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


Peroxiredoxin 5, also known as PRDX5, is a member of the peroxiredoxin family of antioxidant enzymes, which reduces hydrogen peroxide and alkyl hydroperoxides with reducing equivalents provided through the thioredoxin system. This protein may play an antioxidant protective role in different tissues under normal conditions and during inflammatory processes. It has been reported that peroxiredoxin 5 is involved in intracellular redox signaling.

General References

Yamashita H., et al. (1999) J Biol Chem. 274(42): 29897-29904. Declercg JP., et al. (2001) J Mol Biol. 311(4): 751-759.

DATA

Western blot analysis (WB)




The Recombinant Human PRDX5 (50ng) and Cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human Peroxiredoxin 5 antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: Recombinant PRDX5 protein

Lane 2.: MCF-7 cell lysate Lane 3.: A549 cell lysate Lane 4.: HeLa cell lysate Lane 5.: 293T cell lysate Lane 6.: Jurkat cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)




ICC/IF analysis of PRDX5 in Hep3B cells line, stained with DAPI (Blue) for nucleus staining and monoclonal anti-human PRDX5 antibody (1:100) with goat anti-mouse IgG-Alexa fluor 488 conjugate (Green).




Human Peroxiredoxin 5/PRDX5 antibody

Catalog Number: ATGA0379



ICC/IF analysis of PRDX5 in A549 cells line, stained with DAPI (Blue) for nucleus staining and monoclonal anti-human PRDX5 antibody (1:100) with goat anti-mouse IgG-Alexa fluor 488 conjugate (Green).

Flow cytometry (FACS)



Flow cytometry analysis of PRDX5 in HeLa cell line, staining at 2-5ug for 1x106cells (red line). The secondary antibody used goat antimouse IgG Alexa fluor 488 conjugate. Isotype control antibody was mouse IgG (black line).