NKMAXBio We support you, we believe in your research

Human p27/Kip1 antibody

Catalog Number: ATGA0417

PRODUCT INFORMATION

Catalog number

ATGA0417

Clone No.

AT7B9

Product type

Monoclonal Antibody

UnitProt No.

P46527

NCBI Accession No.

NP 004055

Alternative Names

Cyclin-dependent kinase inhibitor 1B, CDKN4, KIP1, MEN1B, MEN4, P27KIP1

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human CDKN1b (1-198aa) purified from E. coli

Isotype

IgG1 kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF

Usage

The antibody has been tested by ELISA, Western blot analysis and ICC/IF to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

Storage



NKMAXBio we support you, we believe in your research

Human p27/Kip1 antibody

Catalog Number: ATGA0417

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


The cyclin-dependent kinase inhibitor p27Kip1 plays an important role in cell cycle regulation. The cyclin-dependent kinase-inhibitory activity of p27Kip1 is regulated by changes in its concentration and its subcellular localization. Cyclin-dependent kinase inhibitor p27 (kip1) is a putative tumor suppressor for human cancer.

General References

Fujita N., et al. (2003) J Biol Chem. 278(49): 49254-60. Viglietto G., et al. (2002) Nat Med. 8(10): 1136-44.

DATA


Western blot analysis (WB)



The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human CDKN1b antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1 : MCF-7 cell lysate Lane 2 : NIH/3T3 cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)



ICC/IF analysis of CDKN1b in Hep3B cells line, stained with DAPI (Blue) for nucleus staining and monoclonal anti-human CDKN1b antibody (1:100) with goat anti-mouse IgG-Alexa fluor 488 conjugate (Green).



NKMAXBio We support you, we believe in your research

Human p27/Kip1 antibody

Catalog Number: ATGA0417

