NKMAXBIO We support you, we believe in your research

Human ACADS antibody

Catalog Number: ATGA0459

PRODUCT INFORMATION

Catalog number

ATGA0459

Clone No.

AT8B10

Product type

Monoclonal Antibody

UnitProt No.

P16219

NCBI Accession No.

AAH25963

Alternative Names

Acyl-Coenzyme A dehydrogenase, ACAD3, SCAD, Acyl-Coenzyme A dehydrogenase Acyl Coenzyme A dehydrogenase, C2 to C3 short chain, Acyl-CoA dehydrogenase, C2 to C3 short chain, Acyl-CoA dehydrogenase, short chain, Acyl-Coenzyme A dehydrogenase, short chain, Al196007, Bcd-1, Bcd1, Butyryl CoA dehydrogenase, EC 1.3.99.2, Short chain acyl CoA dehydrogenase, unsaturated acyl CoA reductase, Short-chain specific acyl-CoA dehydrogenase, mitochondrial.

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human ACADS (25-412aa) purified from E. coli

Isotype

IgG2a kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF

Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity.



NKMAXBIO We support you, we believe in your research

Human ACADS antibody

Catalog Number: ATGA0459

Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


ACADS (Acyl-Coenzyme A dehydrogenase), also known as SCAD or ACAD3, is a tetrameric mitochondrial flavoprotein, which is a member of the acyl-CoA dehydrogenase family. This enzyme catalyzes the initial step of the mitochondrial fatty acid beta-oxidation pathway. Mutations of ACADS have been associated with fatty acid oxidation defects and metabolic diseases such as short-chain acyl-CoA dehydrogenase deficiency (SCAD deficiency).

General References

McAndrew RP., et al. (2008) J Biol Chem. 283(14): 9435-43. Tafti M., et al. (2003) Nat Genet. 34(3): 320-5.

DATA


Western blot analysis (WB)



The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human ACADS antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1 : HepG2 cell lysate Lane 2 : LnCap cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)




ICC/IF analysis of ACADS in Hep3B cells. The cell was stained with ATGA0459 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).



NKMAXBio We support you, we believe in your research

Human ACADS antibody

Catalog Number: ATGA0459



ICC/IF analysis of ACADS in A549 cells. The cell was stained with ATGA0459 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

