## **PRODUCT INFORMATION**

Catalog number ATGA0464

Clone No. AT18B4

**Product type** Monoclonal Antibody

UnitProt No. Q96CM8

NCBI Accession No. NP\_079425

Alternative Names Acyl-CoA synthetase family member 2 isoform 2, ACSMW, AVYV493

## **PRODUCT SPECIFICATION**

Antibody Host Mouse

Reacts With Human

Concentration 1mg/ml (determined by BCA assay)

# Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

#### Immunogen

Recombinant human ACSF2 (42-615aa) purified from E. coli

# lsotype

lgG1 kappa

**Purification Note** By protein-A affinity chromatography

## Application

ELISA,WB,ICC/IF

## Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

### Storage

For research use only. This product is not intended or approved for human, diagnostics or veterinary use. Website: www.nkmaxbio.com email: supportbio@nkmax.com



NKMAXBiO We support you, we believe in your research Human ACSF2 antibody Catalog Number: ATGA0464

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

## BACKGROUND

#### Description


ACSF2 also known as Acyl-CoA synthetase family member 2. Acyl-CoA synthetases are a family of enzymes that catalyze the thioesterification of fatty acids with coenzymeA to form activated intermediates, which play a fundamental role in lipid metabolism and homeostasis of lipid-related processes. ACSF2 are required for complex lipid synthesis, energy production via beta-oxidation, protein acylation and fatty-acid dependent transcriptional regulation. ACSF2 are also necessary for fatty acid import into cells by the process of vectorial acylation.

#### **General References**

Black PN., et al.(2007) Biochim Biophys Acta. 1771(9): 1246-53. Watkins P.A., et al. (2007) J Lipid Res. 48(12): 2736-50.

### DATA


#### Western blot analysis (WB)



The HepG2 cell lysate (40ug) was resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human ACSF2 antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

NKMAXBiO we support you, we believe in your research Human ACSF2 antibody Catalog Number: ATGA0464

#### Immunocytochemistry/Immunofluorescence (ICC/IF)



ICC/IF analysis of ACSF2 in HeLa cells line, stained with DAPI (Blue) for nucleus staining and monoclonal anti-human ACSF2 antibody (1:100) with goat anti-mouse IgG-Alexa fluor 488 conjugate (Green)

