NKMAXBio We support you, we believe in your research

WiDr Lysate

Catalog Number: ATGL0020

PRODUCT INFORMATION

Catalog number

ATGL0020

PRODUCT SPECIFICATION

Concentration

2mg/ml (determined by BCA assay)

Formulation

Liquid in. SDS-PAGE Sample Buffer (0.12M Tris-HCl buffer pH6.8, 0.4% SDS, 5% glycerol, 1% beta-mercaptoethanol, 0.02% Bromophenol blue)

Storage

Aliquot the lysate into single tube and then storing them -80C or below. Avoid repeated freezing and thawing cycles.

Preparation before usage

Heat lysate to 95C for 5 minutes and rapidly cooling before use.

General description


WiDr cells are established from a 78 year old female with colon adenocarcinoma. The cells are negative for colon antigen 3 expression and positive for keratin by immunoperoxidase staining. WiDr cells expressed p53 antigen. Growth of WiDR cells is inhibited by tumor necrosis factor alpha (TNF-alpha). Inhibitors of dihydrofolate reductase are highly cytotoxic to WiDR cells.

Quality Control

Western Blot analyzed by both GAPDH and Beta tubulin antibody

DATA

Western blot analysis (WB)



All lanes: WiDr Whole Cell Lysate (40ug)

Lane 1. : Anti-GAPDH antibody (ATGA0181) Lane 2. : Anti-Beta tubulin antibody (ATGA0196)

