PRODUCT INFORMATION

Expression system E.coli

Domain 1-321aa

UniProt No. P18031

NCBI Accession No. NP_002818.1

Alternative Names

Protein tyrosine phosphatase non-receptor type 1, PTPN1, PTP1B, PTP-1B, Protein Tyrosine Phosphatase 1B, EC 3.1.3.48, Protein-tyrosine phosphatase1B, Tyrosine-protein phosphatase non-receptor type 1, Protein tyrosine Phosphatase Non Receptor Type-1

PRODUCT SPECIFICATION

Molecular Weight

37.3 kDa (321aa)

Concentration

1mg/ml (determined by Bradford assay)

Formulation

Liquid in. 25mM Tris-HCl buffer (pH 7.5) containing 2mM beta-mercaptoethanol, 1mM EDTA1mM DTT, 20% glycerol

Purity

> 95% by SDS-PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Biological Activity

Specific activity is > 10,000 unit/mg, and is defined as the amount of enzyme that hydrolyze 1.0 nmole of pnitrophenyl phosphate (pNPP) per minute at pH 7.5 at 37C.

Tag

Non-Tagged

Application

SDS-PAGE, Enzyme Activity

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.



BACKGROUND

Description

The protein coding region of the catalytic domain of PTP-1B (amino acids 1-321) was cloned into an E. coli expression vector. The catalytic domain of PTP-1B was overexpressed in E. coli as a soluble protein, and it was purified by conventional column chromatographic techniques.

Amino acid Sequence


MEMEKEFEQI DKSGSWAAIY QDIRHEASDF PCRVAKLPKN KNRNRYRDVS PFDHSRIKLH QEDNDYINAS LIKMEEAQRS YILTQGPLPN TCGHFWEMVW EQKSRGVVML NRVMEKGSLK CAQYWPQKEE KEMIFEDTNL KLTLISEDIK SYYTVRQLEL ENLTTQETRE ILHFHYTTWP DFGVPESPAS FLNFLFKVRE SGSLSPEHGP VVVHCSAGIG RSGTFCLADT CLLLMDKRKD PSSVDIKKVL LEMRKFRMGL IQTADQLRFS YLAVIEGAKF IMGDSSVQDQ WKELSHEDLE PPPEHIPPPP RPPKRILEPH N

General References

Chernoff J., et al. (1990) Proc. Natl. Acad. Sci. uSA. 87, 2735-9

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.