PRODUCT INFORMATION

Expression system E.coli

Domain 1-89aa

UniProt No. P27005

NCBI Accession No. NP_038678

Alternative Names Protein S100-A8, 60B8Ag, Al323541, B8Ag, Caga, CFAg, CP-10, MRP8, p8

PRODUCT SPECIFICATION

Molecular Weight 12.4 kDa (109aa) confirmed by MALDI-TOF

Concentration 1mg/ml (determined by Bradford assay)

Formulation Liquid in. 20mM Tris-HCl buffer (pH 8.0) containing 30% glycerol, 0.1M NaCl,1mM DTT

Purity > 95% by SDS-PAGE

Tag His-Tag

Application SDS-PAGE

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

S100A8, also known MRP8, is a member of the S100 family, EF-hand superfamily of calcium binding proteins. This protein is localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. It functions both intracellularly and extracellularly, where it binds to RAGE and CD36. Altered expression of this protein is associated with the disease cystic fibrosis. Recombinant mouse S100A8 protein, fused to His-tag at N-terminus, was expressed in E. coli and purified by using conventional chromatography.



Amino acid Sequence

MGSSHHHHHH SSGLVPRGSH MPSELEKALS NLIDVYHNYS NIQGNHHALY KNDFKKMVTT ECPQFVQNIN IENLFRELDI NSDNAINFEE FLAMVIKVGV ASHKDSHKE


coomassie blue stain.

3ug by SDS-PAGE under reducing condition and visualized by

General References

Kerkhoff C., et al. (1999) Biochim. Biophys. 1448(2):200-11. Nacken W., et al. (2003) Biochim. Biophys. 60(6):569-80.

DATA



15% SDS-PAGE (3ug)

For research use only. This product is not intended or approved for human, diagnostics or veterinary use.

Website: www.nkmaxbio.com email: supportbio@nkmax.com