NKMAXBIO We support you, we believe in your research

Recombinant human p21/CIP1/CDKN1A protein

Catalog Number: ATGP1725

PRODUCT INFORMATION

Expression system

E.coli

Domain

1-164aa

UniProt No.

P38936

NCBI Accession No.

NP 000380.1

Alternative Names

Cyclin-dependent kinase inhibitor 1A, P21, CIP1, SDI1, WAF1, CAP20, CDKN1, MDA-6, p21CIP1

PRODUCT SPECIFICATION

Molecular Weight

20.2 kDa (184aa)

Concentration

0.5mg/ml (determined by Bradford assay)

Formulation

Liquid in. 20mM Tris-HCl buffer (pH 8.0) containing 2M urea, 10% glycerol, 0.1M NaCl

Purity

> 85% by SDS-PAGE

Tag

His-Tag

Application

SDS-PAGE, Denatured

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

CDKN1A, also known as P21 or WAF1, plays a critical role in the cellular response to DNA damage, and its overexpression results in cell cycle arrest. In association with CDK2 complexes, it serves to inhibit kinase activity and block progression through G1/S. However, CDKN1A may also enhance assembly and activity in complexes of CDK4 or CDK6 and cyclin D. This protein may be the important intermediate by which p53/TP53 mediates its role as an inhibitor of cellular proliferation in response to DNA damage. Recombinant human CDKN1A protein, fused to His-tag at N-terminus, was expressed in E. coli.



NKMAXBio We support you, we believe in your research

Recombinant human p21/CIP1/CDKN1A protein

Catalog Number: ATGP1725

Amino acid Sequence


<MGSSHHHHHH SSGLVPRGSH> MSEPAGDVRQ NPCGSKACRR LFGPVDSEQL SRDCDALMAG CIQEARERWN FDFVTETPLE GDFAWERVRG LGLPKLYLPT GPRRGRDELG GGRRPGTSPA LLQGTAEEDH VDLSLSCTLV PRSGEQAEGS PGGPGDSQGR KRRQTSMTDF YHSKRRLIFS KRKP

General References

El-Deiry W S., et al. (1994) Cancer Res. 54:1169-1174. Harper J W., et al. (1993) Cell. 75:805-816.

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

