

Recombinant human Thrombopoietin protein

Catalog Number: ATGP3970

PRODUCT INFORMATION

Expression system

HEK293

Domain

22-353aa

UniProt No.

P40225

NCBI Accession No.

NP_000451.1

Alternative Names

THPO, MGDF, MKCSF, ML, MPLLG, THCYT1, TPO, thrombopoietin isoform 1 precursor, C-mpl ligand, Megakaryocyte colony-stimulating factor, Megakaryocyte growth and development factor, Myeloproliferative leukemia virus oncogene ligand, ATGP3057

PRODUCT SPECIFICATION

Molecular Weight

36.8kDa (343aa)

Concentration

0.25mg/ml (determined by Absorbance at 280nm)

Formulation

Liquid. In Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

Purity

> 90% by SDS-PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Biological Activity

Measured in a cell proliferation assay using MO7e human megakaryocytic leukemic cells. The ED50 range \leq 10 ng/ml.

Tag

His-Tag

Application

SDS-PAGE, Bioactivity

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

Recombinant human Thrombopoietin protein

Catalog Number: ATGP3970

BACKGROUND

Description

Thrombopoietin, also known as megakaryocyte growth and development factor (MGDF), is a member of EPO/TPO family. It is produced in the liver by both parenchymal cells and sinusoidal endothelial cells, as well as in the kidney by proximal convoluted tubule cells. It acts as a key regulator of megakaryocytopoiesis and thrombopoiesis that leads to platelet production. Also, this protein is the ligand for MLP/C_MPL, the product of myeloproliferative leukemia virus oncogene. Thrombopoietin, like EPO, plays a role in brain development. It promotes apoptosis of newly generated neurons, an effect counteracted by EPO and neurotrophins. Recombinant human Thrombopoietin fused to His-tag at C-terminus, was expressed in HEK293 cell and purified by using conventional chromatography techniques.

Amino acid Sequence


<DGSHM>SPAPP ACDLRVLSKL LRDSHVLHSR LSQCPEVHPL PTPVLLPAVD FSLGEWKTQM EETKAQDILG AVTLLLEGVM AARGQLGPTC LSSLLGQLSG QVRLLLGALQ SLLGTQLPPQ GRRTAHKDPN AIFLSFQHLL RGKVRFLMLV GGSTLCVRRRA PPTTAVPSRT SLVLTNLNLP NRTSGLLETN FTASARTTGS GLLKWQQGFR AKIPGLLNQT SRSLDQIPGY LNRIHELLNG TRGLFPGPSR RTLGAPDISS GTSDTGSLPP NLQPGYSPSP THPPTGQYTL FPLPPTLPTP VVQLHPLLDP PSAPTPTPTS PLLNTSYTHS QNLSQEG<HHH HHH>

General References

Fishley B, et al, (2004) Growth Factors. 22:151-155.
Chou FS, et al, (2011) J Cell Biochem. 112:1491-1498.
Kong Z, et al, (2017) Blood. 130:1097-1103.

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain

Biological Activity

Recombinant human Thrombopoietin protein

Catalog Number: ATGP3970

Human Thrombopoietin stimulates cell proliferation of the MO7e human megakaryocytic leukemic cells. The ED50 range ≤ 10 ng/ml.

