PRODUCT INFORMATION

Catalog number ATGA0598

Clone No. AT6E6

Product type Monoclonal antibody

UnitProt No. KOBRG7

NCBI Accession No. AFS88936

Alternative Names

Middle East respiratory syndrome coronavirus, Human betacoronavirus 2c EMC/2012, MERS-CoV, MERS, MERSCoV SP, Spike glycoprotein, S glycoprotein, S, Spike protein

PRODUCT SPECIFICATION

Antibody Host Mouse

Reacts With MERS-CoV

Concentration 1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant MERS-CoV Spike (18-1296aa) purified from Baculovirus

Isotype IgG1 kappa

Purification Note By protein-A affinity chromatography

Application

ELISA

Usage

The antibody has been tested by ELISA analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

MERS-CoV, which causes the Middles East Respiratory Syndrome (MERS), belongs to a family of viruses known as coronaviruses. MERS-CoV was first identified in the Kingdom of Saudi Arabia in 2012, which is a single and positive stranded RNA virus. Dromedary camels are widely considered as the source of the transmission of MERS-CoV. The rate of human transmission among household contacts of MERS patients has been approximately 5 % based on serological analysis. MERS-CoV has four structural proteins, known as the S (spike), E (envelope), M (membrane), and N (nucleocapsid) proteins. The spike protein, responsible for allowing the virus to attach to and fuse with the membrane of a host cell and is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. MERS-CoV S mediates viral attachment and fusion to human cells via human cellular receptor DPP4, also known as CD26. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

General References

Junghyun Goo., et al. (2020) Virus Res. 278:197863. Yan-Hua Li., et al. (2019) Engineering. 5:940-947. Lingshu Wang., et al. (2018) J Virol. 92:e02002-2017. Nicolas Papageorgiou., et al. (2016) Acta Crystallogr D Struct Biol. 72:192-202. Xiao-Yan Che., et al. (2004) J Clin Microbiol. 42:2629-2635.

DATA

Additional Information

Inage not found or type unknown

ELISA: MERS Spike Antibody (1ug/ml) specifically recognizes MERS Spike and Spike S1 recombinant protein, but not interacted MERS Spike S2 and RBD recombinant protein in ELISA. {ATGA0598-Addpic.jpg}

