

Recombinant human Folate hydrolase 1/FOLH1 protein

Catalog Number: ATGP4053

PRODUCT INFORMATION

Expression system

Baculovirus

Domain

44-750aa

UniProt No.

Q04609

NCBI Accession No.

NP_004467

Alternative Names

Glutamate carboxypeptidase 2, Cell growth-inhibiting gene 27 protein, Folylpoly-gamma-glutamate carboxypeptidase, FGCP, Glutamate carboxypeptidase II, GCPII, Membrane glutamate carboxypeptidase, mGCP, N-acetylated-alpha-linked acidic dipeptidase I, NAALADase I, Prostate-specific membrane antigen, PSM, PSMA, Pteroylpoly-gamma-glutamate carboxypeptidase, FOLH, Naalad1

PRODUCT SPECIFICATION

Molecular Weight

80.7kDa (717aa)

Concentration

0.25mg/ml (determined by Absorbance at 280nm)

Formulation

Liquid. In Phosphate-Buffered Saline (pH 7.4) containing 20% glycerol

Purity

> 90% by SDS - PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Tag

His-Tag

Application

SDS-PAGE

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

PSMA1/FOLH1, as known as glutamate carboxypeptidase 2 (GCPII), is a single pass type 2 membrane protein

Recombinant human Folate hydrolase 1/FOLH1 protein

Catalog Number: ATGP4053

which belongs to the peptidase M28 family. It is a zinc metalloenzyme that resides in membranes and catalyzes the hydrolysis of N-acetylaspartylglutamate (NAAG) to glutamate and N-acetylaspartate (NAA). This protein is most highly expressed in prostate epithelium. It is detected in urinary bladder, kidney, testis, ovary, live, stomach, small intestine colon, and the capillary endothelium of a variety of tumors. Thus, it shows a promising role in directed imaging and therapy of recurrent of metastatic disease. Recombinant human PSMA1/FOLH1, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

Amino acid Sequence


<ADPM>KSSNEA TNITPKHNMK AFLDELKAEN IKKFLYNFTQ IPHLAGTEQN FQLAKQIQSQ WKEFGLDSVE LAHYDVLLSY
 PNKTHPNYIS IINEDGNEIF NTSLFEPPPP GYENVSDIVP PFSAFPQGM PEGDLVYVNY ARTEDFFKLE RDMKINCSGK
 IVIARYGKVF RGNKVKNAQL AGAKGVILYS DPADYFAPGV KSYPDGWNLPGGGVQQRGNIL NLNGAGDPLT PGYPANEYAY
 RRGIAEAVGL PSIPVHPIGY YDAQKLEKM GGSAPPDSSW RGSCLKVPYNV GPGFTGNFST QKVKMHIHST NEVTRINVI
 GTLRGAVEPD RYVILGGHRD SWVFGGIDPQ SGAADVHEIV RSFGTLKKEG WRPRRTILFA SWDAEEFGLL GSTEWAEENS
 RLLQERGVAY INADSSIEGN YTLRVDCTPL MYSLVHNLTK ELKSPDEGFE GKSLYESWTK KSPSPEFSGM PRISKLGSGN
 DFEVFFQRLG IASGRARYTK NWETNKFSGY PLYHSVYETY ELVEKFYDPM FKYHLTVAQV RGGMVFELAN SIVLPFDCRD
 YAVVLRKYAD KIYSISMKHP QEMKTVSVSF DSLFSAVKNF TEIASKFSER LQDFDKSNPI VLRMMNDQLM FLERAFIDPL
 GLPDRPFYRH VIYAPSSHNK YAGESFPGIY DALFDIESKV DPSKAWGEVK RQIYVAFTV QAAAETLSEV A<HHHHHH>

General References

Rahn KA., et al, (2012) Proc. Natl. Acad. Sci. U.S.A. 109:20101-20106.
 Schaevitz LR., et al, (2012) Dev Neurobiol 72:891-905.

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain